

ICBNh 5173

Integrated fridge-freezer with
BioFresh and NoFrost

LIEBHERR

Fully Integrated



Fully Integrated

ICBNh 5173

Peak



Hydro Breeze	Bio Fresh	Duo Cooling	LED Light Tower	Touch & Swipe-Display	Glass & Steel Interior	Ice Maker	Soft-Telescopic Rails	Soft System	Power Cooling
Super Silent									
Specifications									
Total Usable Volume Litres									246 litre
Fridge compartment									104 litre
BioFresh compartment									71 litre
Freezer compartment									71 litre
Temperature rise time									9 h
Freezing capacity in 24 hours									6 kg
Climate rating								SN-T (+10°C to +43°C)	
Noise output									34 dB(A)
Frequency/voltage								50-60 Hz / 220-240 V~	
Connection Rating									1.4 A 183 W
Fridge compartment									
Forced air system						FreshAir activated charcoal filter with Ambilight			
Interior light								LED light panel on both sides	
BioFresh-Safes						2 BioFresh-Safes with SoftTelescopic, HydroBreeze, 1 FlexSystem			
GlassLine Door interior						Premium GlassLine / Removable VarioBoxes			
Freezer compartment									
Defrosting									automatic
Interior light									LED
Number of drawers						3 drawers, of which 2 set on telescopic rails			
Cold storage accumulators									2
IceMaker									yes
Ice cube capacity in 24 hours									1.2 kg
Ice cube stock									5.0 kg
Type of appliance									
Type								Built-in for integrated use	
Door assembly									Door on Door
Dimensions									
Height									177.2-178.8 cm
Width									56-57 cm
Depth									min. 55 cm
Features									
Interface							SmartDeviceBox: optional accessory (Anticipated arrival July 2022)		
Door hinges									right, reversible
EAN-Nr.									4016803079118

Fully Integrated

Features



BioFresh with HydroBreeze

Do you want to cool fruit and vegetables like professionals? You'll be inspired by HydroBreeze. The cold mist combined with a temperature in the safe of just over 0 °C gives food that extra boost for longer shelf life. And it creates a genuine visual wow effect. HydroBreeze is activated every 90 minutes for 4 seconds and for 8 seconds when the door is opened.



Meat & Dairy safe

Do you want the tender veal fillet or fresh milk to stay fresh for as long as possible? The BioFresh safes will ensure this is the case. In the Meat & Dairy Safe, the temperature is close to 0 °C – ideal storage conditions for even the most delicate of foods. And best of all, everything is perfectly adjusted in the factory for immediate use – and for longer freshness.



DuoCooling

DuoCooling uses two completely separate refrigeration circuits to ensure no air is exchanged between the fridge and freezer compartments. The food neither dries out nor is odour transferred. This means throwing less away, shopping less often, but saving more and greater enjoyment.



Ambient lighting

Light creates special design effects – and this includes in your refrigerator with our ambient lighting. The all-round lighting creates unique effects in the interior. And, together with the rear wall in SmartSteel design and the black high-gloss fan, it creates an atmospheric ambience.



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.




Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.

Diagrams

Installation Diagram



* Recommended: 560 mm

Products and their details are staged for advertising purposes. Whilst every effort is made to ensure all specifications and information in this flyer are accurate, Liebherr reserves the right to make changes without notification. Where actual appliance measurements, specifications, and ratings are crucial, we recommend that the actual appliance installation instructions that accompany each appliance be checked. Liebherr will not be liable for any loss. (09.02.2022)